Historic, Archive Document


Do not assume content reflects current scientific knowledge, policies, or practices.



Biltmore Nursery

Wholesale Trade-List

SEASON OF 1901-1902



BILTMORE NURSERY

BILTMORE, NORTH CAROLINA

- THE BILTMORE NURSERY was established in 1889. For ten years almost the entire output was used on the Biltmore Estate in the extensive landscape and forest plantations. In 1898 a small surplus of stock was offered to the trade by means of a typewritten list and circular, and during the season 1899-1900 the first formal catalogue or trade-list was issued. In this, our third published price-list, is offered the stock of the present season, which consists wholly of ornamentals. We have no connection whatever with any other nursery, and employ no agents, all of our business being transacted from our office at Biltmore, North Carolina.
- THE LOCATION is in the heart of the mountains of Western North Carolina, at an elevation of about two thousand feet above sea-level, where the temperature ranges from 90° above to 12° below zero. The variations in temperature peculiar to the Southern Alleghany Region, its evenly distributed and bountiful rainfall, long growing season, and rich but shallow soil, combine to produce a
- **QUALITY OF STOCK** unusually good in root-formation, thriftiness, and hardiness. All our stock is nursery-grown; we do not offer cheap, collected plants.
- **LANDSCAPE ARCHITECTS** will find our stock particularly suited to the demands of forest, park, and suburban planting.
- **PROPAGATING CAPACITY.** Our greenhouses and coldframes cover an area of 34,000 square feet which, in connection with seed beds of more than ten acres extent, trained men, and a variety of carefully tilled soils, give us special facilities for furnishing rooted cuttings, seedlings, and transplanted plants.
- **NURSERYMEN** will find the small plants particularly valuable for transplanting into nursery rows.
- **FREE FROM INSECTS AND FUNGOUS PESTS.** The stock of the Biltmore Nursery has been inspected by the State Entomologist, and is pronounced free from all insects designated as dangerous pests, and apparently healthy in every respect.
- A CERTIFICATE of inspection will be sent with each shipment.
- **PACKING.** The utmost care will be used in digging and preparing the plants for shipment, and charges for packing cases will be made on the following basis:
- **BOXES** including packing and delivery to freight or express depots:

14	feet	long,	30 x 30	inches								\$3	25	each.
12			30 x 30	"								3	00	
10	4.4	6.6	30 X 30										75	
8	"	6.6	30 X 30	"								2	50	6.6
			24 × 24										85	

- BALES according to size, including delivery to nearest station, 15 cents to \$2.50.
- **DIRECTIONS FOR SHIPPING.** In the absence of explicit directions for mode of shipping, we will forward goods according to our best judgment.
- **OUR RESPONSIBILITY.** All goods travel at purchaser's risk. We do not assume any responsibility for the safe delivery and condition of goods after shipment, except for our own mistakes, unless the terms of agreement so specify and guarantee. We are most careful to have all our plants correctly labeled, and hold ourselves prepared to replace, on proper proof, all that may prove untrue free of cost, or to refund the amount paid therefor; but it is understood that, in case of error on our part, we shall at no time be held responsible for a greater amount than the invoice price of the goods.
- **RATES.** The prices in this list apply to quantities specified, but two hundred and fifty will be furnished at the thousand rate, twenty-five at the hundred rate, and five at the ten rate. Special discounts given on very large orders.
- **TERMS CASH** on or before delivery to forwarding agents, unless by special arrangement.
- **NOTICE.** All orders placed with us will be accepted only upon the condition that, should stock be injured by drought, frost, or other casualties before the shipping season, they are to be void.
- **CLAIMS.** Should any errors occur we desire to be informed upon receipt of goods, in order that we may rectify them without serious delay.
- **PACKING SEASON.** We ship from October 1 to May 1, with slight interruptions during midwinter.
- **FREIGHT RATES** in effect October 1, 1901, from Biltmore to several points are here shown.

	-	PER HUNDRED POUNDS TO								
	BALTIMORE, MD.		PHILAD	ELPHIA,	NEW	YORK,	PROVIDENCE AN			
ROUTE			Ρ.	Α.	N. Y.		BOSTON.			
	CL	LCL	CL	LCL	CL	LCL	CL	LCL		
Rail and Water	. 37	50	40	55	40	55	45	6o		
All Rail	. 42	58	45	63	45	63	50	68		

Special inducements offered on nursery stock delivered anywhere in the United States. Write for quotations on your wants.

Address all communications to

BILTMORE NURSERY,

Biltmore, North Carolina.

TREES

"S" signifies seedlings not transplanted: "tr." signifies stock has been transplanted.

•	Height	Per 10	100	1,000
Abies douglasi. See Pseudotsuga mucronata.				
" fraseri, Fraser's Balsam Fir twice tr.	2½ to 3 ft.	\$1 25	\$8 00	
" nordmanniana, Nordmann's Fir twice tr.	3 to 4 ft.	6 oo		
webbiana, Webb's Fir	4 to 6 in.	I CO		
Acer campestre, English Field Maple tr.	ı toı½ ft.	65	5 50	\$50 00
"tr.	2 to 2½ ft.	2 00	16 50	150 00
"glabrum, Dwarf or Rocky Mountain Maple . tr.	ı ft.	50	4 00	
" japonicum, Japanese Maple S.	4 to 6 in.	50	4 00	
" leucoderme, White-barked Maple S.	3 to 5 in.	50	4 00	
"	ı toı½ ft.	I 50	12 00	
" macrophyllum, Oregon or Broad-leaved				
Maple	I to 2 ft.	50	4 00	
" negundo, Ash-leaved Maple S.	6 to 9 in.		1 00	7 50
	8 to 12 in.		1 75	15 00
	5 to 7 ft.	65	5 50	50 00
nigrum, Black Sugar Maple	3 to 5 in.		I 00	7 50
	1½ to 2 ft.		3 50	
paimatum, Paimate-leaved Maple tr.	ı ft.	5 00		
pennsylvanicum, striped mapie	3 to 5 in.		1 00	7 50
rubrum, Red Maple	4 to 6 in.		I 00	7 50
	6 to 10 in.		1 25	10 00
• • • • • • • • • • • • • • • • • • •	1½ to 2 ft.	50	3 00	25 00
	2½ to 3 ft.	75	5 50	50 00
	4 to 5 ft.	1 50	12 00	
saccharmum (A. ausycurpum), Silver Mapie . II.	2 to 2½ ft.	I 00	8 00	
" saccharum, Sugar Maple	3 to 5 in. 1 to 2 ft.		I 00	7 50
spicatum, Mountain Maple	1 to 2 ft. 3 to 6 in.		3 00	
tataricum, Tartarian Maple	3 to 6 in.		I 00	7 50
Æsculus octandra (Æ. flava), Sweet or Yellow	3 to 0 in.		I 00	7 50
Buckeye S.	6 in.		I 50	12 00
"tr.	1 to 2 ft.		2 50	20 00
" twice tr.	3 to 4 ft.	I 00	7 50	20 00
" twice tr.	5 to 6 ft.	2 50	22 00	
Ailanthus glandulosa, Tree-of-Heaven S.	6 to 10 in.	2 30	I 00	7 50
Alnus incana, Speckled or Hoary Alder tr.	1½ to 2 ft.	50	4 00	35 00
Amelanchier botryapium, Shad-bush tr.	I to 2 ft.	75	6 50	60 00
Betula lenta, Sweet Birch tr.	1½ to 2 ft.	, ,	3 00	27 50
" tr.	3½ to 4½ ft.	75	5 00	45 CO
" "	5 to 6 ft.	I 00	8 00	75 00
" nigra, Red or River Birch tr.	5 to 7 ft.	75	6 50	60 c o
Biota. See Thuya.				
Carpinus caroliniana, American Hornbeam tr.	ı to 2 ft.	I 00	7 00	65 00
" , "	2 to 3 ft.	2 00	17 50	
Carya. See Hicoria.	_			
Cedrus deodara, Indian Cedar tr.	4 to 6 in.	1 50	12 50	100 00
Celtis chinensis, Chinese Hackberry S.	6 to 8 in.	I 00	7 50	
" tenuifolia, Long-leaved Hackberry tr.	3 to 5 ft.	1 50	12 50	
Cerasus. See Prunus.				

The state of the s				
TREES, continued	Height	Per 10	100	T 000
Cercis canadensis, Red-bud or Judas-tree S.	4 to 6 in.	1 61 10	\$1 00	1,000 \$7 50
" occidentalis, Western Judas-tree tr.	2 ft.	\$1 50	<i>\$</i> 1 00	. #7 3º
Chamæcyparis lawsoniana, Lawson's Cy-	2 10.	рт 50		
press twice tr.	2 to 2½ ft.	2 00		
" nootkatensis, Nootka Sound	,			
Cypress twice tr.	1½ to 2 ft.	2 00		
" obtusa twice tr.	2 ft.	2 00		
" pisifera filifera (Retinospora). twice tr.	3 to 4 ft.	5 00		
" plumosa twice tr.	ı ft.	1 50		
" squarrosa twice tr.	2 ft.	2 50		
"thyoides and elyens is $(C.$				
sphæroidea andelyensis),	rI/ to a ft	2 00		
Andelys Cedar twice tr.	1½ to 2 ft.	2 00		
Cornus florida, White-flowered Dogwood S.	6 to 12 in.		1 00	9 00
For other species, see Shrubs.	6 to 12 in.	50	3 50	18 00
	- 40 0 :		6	6
Cratægus apiifolia, Parsley-leaved Thorn tr.	5 to 8 in.	I 00	6 50	60 00
aprica	I to I½ ft.	I 00	6 50	60 00
· · · · · · · · · · · · · · · · · · ·	1½ to 2 ft.	I 25	8 00	75 00
boyntoni, boynton's Thorn tr.	ı ft.	1 00	7 50	7 o oo
buckleys I norm	ı ft.	I 00	7 50	70 00
comma, ithiside Thorn	1½ to 2 ft.	1 00	7 50	7 0 0 0
cordata, wasnington I norn tr.	ı to ı½ ft.	I 00	7 50	
	2 to 3 ft.	1 50	10 00	
crus-gam, cocksput Thorn	ı ft.	75	5 00	45 00
	1½ to 2 ft.	I 00	7 50	70 00
oxyacantna, white of may 1 norm 5.	6 to 8 in.		1 00	8 00
punctata, Large-fruited Haw S.	4 to 6 in.		2 00	17 50
	6 to 12 in.	75	5 00	45 00
spatnulata, Sman-rrulted Haw S.	6 to 12 in.		3 00	20 CO
"	ı ft.	I 00	7 50	70 00
" tomentosa, Pear Haw tr.	2 ft.	I 00	7 50	
" uniflora, One-flowered Thorn tr.	ı ft.	1 00	7 50	
" vailiæ, Vail's Haw tr.	ı ft.	1 00	7 50	
" viridis, Southern Haw S.	6 to 12 in.		3 00	20 00
" tr,	1½ to 2 ft.	I 00	7 50	
Cryptomeria japonica pots	6 in.	75	6 00	
"	6 in.	I 00	8 00	75 00
Diospyros virginiana, Persimmon tr.	2 ft.	50	4 00	35 00
"	2½ to 3½ ft.	75	5 00	45 00
" "	4 to 6 ft.	1 00	6 50	60 00
Fraxinus americana, American White Ash tr.	3 to 4 ft.	50	4 00	35 00
" tr.	5 to 6 ft.	60	5 00	45 00
" twice tr.	7 to 9 ft.	I 00	7 00	65 00
biltmoreana, Biltmore Ash S.	ı to ı½ ft.	2 00	15 00	
" lanceolata (F. viridis), Green Ash tr.	5 to 7 ft.	50	4 00	37 50
" tr.	8 to 10 ft.	I 00	6 50	62 50
" nigra, Black Ash tr.	1 to 1½ ft.		2 00	18 00
" pennsylvanica (F. pubescens), Red Ash. tr.	1 to 1½ ft.		2 CO	18 00
"	5 to 6 ft.	75	4 00	37 50
"	7 to 8 ft.	I 00	6 50	60 00
"	9 to 10 ft.	1 50	12 00	100 00
Cinkgo biloba, Maidenhair Tree tr.	3 to 6 in.		3 50	30 00
Gleditschia aquatica, Water Locust tr.	ı to ı½ ft.		2 00	17 50
" tr.	2 to 2½ ft.	50	4 00	35 ob
" triacanthos, Honey Locust tr.	1 to 1½ ft.		2 00	17 50
Gymnocladus dioica (G. canadensis), Kentucky	- 4		0	
Coffee Tree tr.	3 to 4 ft.	1 00	8 00	

TREES, continued				
Halesia. See Mohrodendron.	Height	Per 10	100	1,000
Hicoria alba (Carya tomentosa), White-Heart				
Hickory S.	3 to 4 in.		\$2 00	\$17 50
" "tr.	ı ft.	\$0 75	5 00	ş-1 J-
" aquatica (C. aquatica), Water Hickory . tr.	6 to 10 in.	00 1	7 75	
" minima (C. amara), Bitternut S.	6 to 8 in.		I 75	15 00
"	6 to 8 in.	50	3 00	27 50
llex opaca, American Holly tr.	ı to ı⅓ ft.	2 00	17 50	
For other species, see Shrubs.	6.5			
Juglans cinerea, Butternut	6 ft.	2 50	0	
manuschurica	1 ft. 1½ to 2 ft.	I 00	8 00	10.00
" nigra, Black Walnut	1½ to 2 ft. 3 to 4 ft.	~-	5 00	10 00 45 00
" "twice tr.	3 to 4 ft.	75 1 00	5 00 7 00	65 c o
" "twice tr.	5 to 6 ft.	I 25	10 00	95 00
Juniperus. See Shrubs.	5 10 0 11.	1 23	10 00	93 00
Kœlreuteria paniculata tr.	3½ to 4 ft.	1 50	12 50	
Libocedrus decurrens, Post Cedar tr.	1½ to 2 ft.	1 00	7 50	
Liquidambar styraciflua, Sweet Gum tr.	3 to 4 ft.	. 1 50	12 00	
" tr.	5 to 6 ft.	I 75	15 00	
Liriodendron tulipifera, Tulip-tree tr.	7 to 9 ft.	1 50	12 50	100 00
" tr.	10 to 12 ft.	2 00	17 50	150 00
"tr.	13 to 14 ft.	4 00	35 00	300 00
Magnolia acuminata, Cucumber-tree tr.	2 to 3 ft.	I 00	7 50	
conspicua tr.	ı ft.	1 75	15 00	
cyathiformis, Yulan tr.	ı ft.	1 75	15 00	
soulangeana tr.	I to 2 ft.	2 00	17 50	
triumphans , tr.	2 to 3 ft.	3 50		
(M. granathora), Southern Mag-	6 to rain	7 50	10.00	
nolia pots fraseri, Mountain Magnolia	6 to 12 in. 6 to 8 ft.	1 50	12 00	
" kobus, Japanese Magnolia tr.	6 to 10 in.	5 00	40 00 12 00	100 00
"tr.	1 to 2 ft.	1 50 2 00	17 50	100 00
" twice tr.	3 to 4 ft.	3 50	30 00	
" twice tr.	7 to 8 ft.	5 00	40 00	
" obovata, Chinese Magnolia tr.	6 to 10 in.	I CO	8 00	75 00
" discolor	ı to 2 ft.	I 50	12 50	, ,
" gracilis tr.	2 to 3 ft.	2 (0	15 00	
Malus. See Pyrus.				
Mohrodendron carolinum (Halesia tetraptera),				
Silver Bell S.	4 to 6 in.		I CO	7 50
" "tr.	ı toı½ ft.		3 00	25 CO
· · · · · · · · · · · · · · · · · · ·	2 to 3 ft.	50	4 00	35 00
	3 to 4 ft.	60	5 00	45 00
· • • • • • • • • • • • · · · · · · · ·	5 to 6 ft.	75	6 00	55 00
· · · · · · · · · · · · · · · · · · ·	7 to 8 ft.	I 00	7 50	70 00
Negundo, See Acer negundo. Nyssa sylvatica, Black or Sour Gum	- 44			
Oxydendrum arboreum, Sourwood tr.	I ft.	, p	2 00	== 00
"	1 to 1½ ft. 2 to 3 ft.	75 1 00	6 co 7 50	55 CO 70 00
tr.	4 to 5 ft.	I 50	12 00	ICO 00
" · · · · · · · · · · · tr.	6 to 7 ft.	2 00	17 50	150 CO
Phellodendron amurense tr.	8 to 12 in.	_ 00	3 00	25 00
•	2½ to 3½ ft.	I 00	8 75	
Picea canadensis (P. alba), White Spruce tr.	2 to 3 ft.	I 25	10 00	85 00
" excelsa, Norway Spruce tr.	1 to 2 ft.	I 00	7 50	
" mariana, Black Spruce tr.	1½ to 2½ ft.	I 00	7 50	

TREES, continued	Height	Per 10	100	1,000
Picea parryana (P. pungens), Rocky Mountain				1,000
Spruce	1 to 1½ ft. 1½ to 2 ft.	\$2 50 2 50	\$20 00 20 00	
" laricio	8 to 12 in.	1 00	7 50	
" monticola, Mountain White Pine S.	8 to 10 in.	I 00	7 50	
" murrayana, Tamarack Pine S.	6 to 10 in.	I 00	, 0	
" ponderosa, Western Yellow Pine tr.	ı toı½ ft.	I 00	7 50	
" strobus, White Pine tr.	ı ft.	I 00		
" With balls \$1 each . twice tr.	6 to 8 ft.			
thumbergi, Thumberg's Time	I to 1½ ft.	1 50		ж
Platanus occidentalis, American Plane tr.	1½ to 2½ ft.	50	4 00	\$35 00
"	3 to 4 ft. 5 to 6 ft.	75 1 00	6 00	55 00 67 50
"	7 to 9 ft.	1 50	12 50	100 00
Podocarpus japonica, Japanese Yew tr.	1 to 1½ ft.	2 50	20 00	100 00
Populus balsamifera, Balsam Poplar tr.	8 to 9 ft.	1 50	10 00	
" deltoides, Carolina Poplar or Cotton-				
wood tr.	2½ to 3½ ft.	50	4 00	
Prunus americana, Wild Yellow, or Red Plum tr.	I to 2 ft.	50	4 00	35 00
" " " tr. " laurocerasus. See Shrubs.	2 to 3 ft.	I 00	7 50	70 00
" pendula, Weeping Cherry Own roots, tr.	т ft.	I 00	7 50	
" pennsylvanica, Wild Red Cherry tr.	8 ft.	2 00	15 00	
serotina, Wild Black CherryS.	6 to 8 in.		I 00	7 50
"tr.	$1\frac{1}{2}$ to 2 ft.		2 00	17 50
" twice tr.	5 to 7 ft.	1 00	8 00	75 00
Pseudotsuga mucronata (Abies Douglasi),	- 24			
Douglas' Spruce . tr.	1 ft. 3 ft.	1 50 3 00	12 00	
Ptelea trifoliata, Hop-tree S.	3 to 6 in.	3 00	I 00	7 50
Pyrus angustifolia, Crab Apple S.	4 to 6 in.		1 00	7 50
" arbutifolia. See Aronia, under Shrubs.				, 0
" baccata, Small-fruited Crab tr.	1½ to 2½ ft.	75	6 00	55 00
betulifolia, Birch-leaved Pear tr.	6 to 7 ft.	2 00	15 00	
coronaria, Sweet-scented Crab S.	4 to 6 in.		I OO	7 50
Japonica: See Siliubsi				
" nigra. See Aronia, under Shrubs. Quercus alba, White Oak	4 to 8 in.		I 00	7 50
" "tr.	2 to 2½ ft.	I 00	7 50	70 00
" " tr.	3 to 3½ ft.	I 25	10 00	90 00
" cerris, Turkey Oak tr.	ı ft.		5 00	
" coccinea, Scarlet Oak S.	8 to 10 in.		1 00	7 50
" dentata, Japanese Oak tr.	4 to 5 ft.	4 50		
" lyrata, Swamp, Overcup, or Post Oak S.			5 c o	
macrocarpa, mossy-cup Oak	2½ to 3½ ft.	I 00	7 50	
margaretta, Ashe's Fost Oak	3 to 4 ft.	2 50	20 00	
" minor (Q. stellata), Post or Iron Oak tr. pagodæfolia	2½ ft. 1½ to 2 ft.	I 00		
" prinus, Chestnut Oak S.	10 to 12 in.	1 00	I 00	7 50
" rubra, Red Oak tr.	2½ to 3½ ft.	1 00	8 00	75 00
" "tr.	4 to 5 ft.	2 00	17 50	165 00
$\mbox{``} \qquad \qquad \mbox{serrata} \qquad \dots \qquad \dots \qquad \dots \qquad \dots \qquad \dots \qquad \mbox{tr}.$	2½ to 3½ ft.	5 00		
" texana, Texan Red Oak tr.	1½ to 2 ft.	I 0 0	7 50	
"tr.	3 to 4 ft.	2 50	20 00	175 00
Rhododendron. See Shrubs. Robinia pseudacacia, Yellow LocustS.	6 to 10 in		T 00	# FO
Salix nigra, Black Willow	6 to 12 in. 6 ft.	50	1 00	7 50 35 00
For other species, see Shrubs.	, 016.	30	4 50	33 00

		TREES, continued	Height	Per 10	100	1,000
Thuya	a occidenta	lis, American Arborvitæ	Treight	7 01 10	100	1,000
		with balls, twice tr.	5 to 8 ft.	\$2 00	\$17.50	
* *	* *	aureo-maculata				
		with balls, twice tr.	5⅓ ft.	3 00		
• •	• •	fastigiata (T. pyramidalis)				
		with balls, twice tr.	6 to 8 ft.	3 50		
• •	* *	filicoides with balls, twice tr.	3 to 4 ft.	3 00		
+ 4	4.4	globosa with balls, twice tr.	2½ ft.	3 00		
	• •	hoopesi with balls, twice tr.	3 to 3⅓ ft.	3 00		
• •	* *	hudsonica . with balls, twice tr.	212 ft.	3 00		
	* *	intermedia . with balls, twice tr.	3 ft.	3 CO		
	* *	" with balls, twice tr.	2½ ft.	2 50		
. (. 4	reidi with balls, twice tr.	2½ to 3 ft.	3 00		
	orientalis	with balls, twice tr.	5 ft.	3 00		
**	W. W.	compacta with balls, twice tr.	3½ to 4 ft.	3 00		
"	* *	densa glauca . with balls, twice tr.	3 to 3½ ft.	3 00		
Tilia	americana,	American Linden tr.	1 to 2 ft.	50	4 50	\$40 00
6.6	. (tr.	2½ to 3½ ft.	75	6 00	55 00
. (heterophylla	a, White Basswood tr.	ı ft.	I 00		
Tsuga	a canadens	is, Hemlock tr.	1 to 2 ft.	50	4 00	35 00
4.6	mertensia	na, Mertens' Hemlock tr.	8 to 10 in.	I 00		
Ulmu	s american	a , American or White Elm tr.	2 to 4 ft.	I 00	8 50	75 00
. (* *	tr.	5 to 6 ft.	I 25	10 00	90 0 0
* *	* *	tr.	7 to 8 ft.	1 50	12 50	100 00
* *	* *		9 to 10 ft.	2 00	17.50	

SHRUBS

"S" signifies seedlings not transplanted; "tr." signifies stock has been transplanted.

	Height	Per 10	100	1,000
Abelia chinensis (A. rupestris), Chinese Abelia	9			
4-inch pots	8 to 10 in.	\$0 75	\$6 oo	\$55 00
"	ı ft.	I 00	7 00	65 00
"	· 2 ft.	I 25	10 00	95 00
Adelia acuminata (Forestiera acuminata),				
Pointed-leaved Adelia tr.	3 ft.	50	3 50	30 00
"	4 to 5 ft.	60	5 00	45 00
"tr.	5 to 6 ft.	65	5 50	50 00
" ligustrina (Forestiera ligustrina), Privet-				
leaved Adelia tr.	2 to 3 ft.	50	4 00	
tr.	3 to 4 ft.	60	5 00	
Althæa. See Hibiscus.				
Amelanchier botryapium. See Trees.				
Amorpha fruticosa, False Indigo tr.	2 ft.	50	1 00	
" virgata, Mountain Indigo tr.	ı½ ft.	50	4 00	35 00
Andromeda ligustrina. See Xolisma ligustrina.		O	,	00
" nitida. See Pieris nitida.				
" polifolia, Wild Rosemary tr.	6 to 8 in.	75	5 00	
Aralia spinosa, Angelica Tree tr.	5 ft.	I 25	10 00	
Arbutus unedo tr.	ı ft.	I 00	8 00	
Aronia arbutifolia (<i>Pyrus arbutifolia</i>), Chokeberry. tr.	ı toı½ ft.	75	6 00	55 00
" nigra (<i>Pyrus nigra</i>), Black Chokeberry tr.	6 to 8 in.	50	5 00	00
Azalea amœna tr.	8 to 12 in.	2 50	20 00	
" arborescens, Tree Azalea pots	4 to 6 in.	50	4 00	35 o o
" " tr.	6 to 8 in.	75	5 00	45 0 0
" · · · · · · · · · · · · · · · · · · ·	10 to 12 in.	7.5 I 00	8 50	80 00
" lutea (A. calendulacea), Flame Azalea pots	3 to 4 in.	50	1 00	35 00
" "	4 to 6 in.	60	5 00	45 00
" nudiflora, Pinkster-flower tr.	6 to 8 in.	7.5	6 00	55 00
" viscosa, Swamp Pink or Honevsucklepots	4 to 6 in.	13	3 00	25 00
" " the cost, Swamp Time of Honeysuckie pots	6 to 8 in.		4 00	
Baccharis halimifolia, Groundsel-bush or Pencil-	0 to 6 III.	50	+ 00	35 00
tree tr.	I to I 12 ft.		1 -0	40 00
"tr,	2 ¹ 2 to 3 ¹ / ₂ ft.	50 65	4 5° 5 5°	50 00
Berberis aquifolium, Mahonia tr.	1 to 1½ ft.	I 00	8 00	50 00
asiatica, Asiatic Barberry	2 ft.	I 00	8 00	
congestiflora, Chilian Barberry tr.	ı to 1½ ft.	I 00	8 00	
fascicularis tr.	1 ft.	I 00	(1 00	
ilicifolia, Holly-leaved Barberry tr.	ı ft.	1 00 I		
newberti (B. aquifolium $\times vulgaris$), Hy-	1 10.	1 (11)		
brid Barberry tr.	1 to 2 ft.	, I ()()	5 00	
repens, Trailing Mahonia tr.	6 in.		. 00	
	O III.	I 50		
" thunbergi, Japanese or Thunberg's Barberry	4 to 8 in.		2 50	20 0 0
"tr.	2 to 2 1/2 ft.	50	4 50	10 00
Biota. See Thuya, under Trees.		,,,	₹ 317	7- 00
Buddleia intermedia (B. curviflora \times lindle yana),				
Hybrid Buddleia tr.	2 to 212 ft.	I 00	8 00	
" japonica, Japanese Buddleia tr.	2 ft.	I 00	8 00	
" lindleyana, Chinese Buddleia tr.	3 to 4 ft.	I 00	8 00	
maiojanaj cumene natarem i i i i i i i i i i	(1 40) 14 161	2 0.0		

SHRUBS, continued Height Per 10 100 T.000 Butneria fertilis (Calycanthus lævigatus), Smooth Strawberry Shrub S. 8 to 12 in. \$3 00 \$25 00 \$T 00 Buxus sempervirens, Box-tree tr. 1½ to 2 ft. 3 50 angustifolia, Narrow-leaved Box-tree tr. 1 1/2 ft. 3 50 arborescens, Tall Box-tree . tr. 6 to 8 in. 30 00 3 50 handsworthi, Handsworth's Box-tree tr. 1 1/2 ft. 3 50 macrophylla tr. 1½ ft. 3 50 ... navicularis tr. 2 ft. 4 50 salicifolia, Willow - leaved Box-tree tr. $1\frac{1}{2}$ to 2 ft. 4 00 suffruticosa, Dwarf Box-tree tr. 3 to 4 in. 2 75 25 00 Calamintha caroliniana. See Clinopodium. Callicarpa purpurea, Purple-fruited Callicarpa . . tr. I to 2 ft. 50 4 50 40 00 " 2 to 3 ft. 65 tr. 5 50 50 00 Calluna vulgaris, Scotch Heather pots 4 to 8 in. 60 5 00 8 00 1½ ft. T 00 75 00 Calycanthus lævigatus and glaucus. See Butneria fertilis. Caryopteris mastacanthus, Chinese Beardwort . . tr. I to 2 ft. I 00 8 00 Cephalanthus occidentalis, Button-bush tr. I to I½ ft. 65 5 50 50 00 2 to 2½ ft. tr. I 00 8 00 75 00 Chamædaphne calyculata (Cassandra calyculata), Leather-leaf . . pots I ft. 50 4 50 40 00 tr. I ft. 75 5 50 50 00 Chionanthus virginica, White Fringe-tree tr. 6 to 10 in. 75 6 00 Citrus trifoliata, Hardy Lemon tr. 8 to 12 in. 50 4 50 Clethra alnifolia, Sweet Pepper-bush....pots 6 to 12 in. 2 50 22 00 8 to 12 in. 50 3 00 27 50 Clinopodium carolinianum (Calamintha caroliniana), Large-flowered Thyme.....tr. I ft. 10 00 I 50 Cornus alternifolia, Alternate-leaved Dogwood . . tr. 2 to 3 ft. 6 00 75 5 to 6 ft. tr. 8 00 T 00 amomum (C. sericea), Silky Dogwood . . S. 6 to 12 in. I 00 7 50 " tr. I to I½ ft. 50 4 50 40 00 candidissima, Panicled Cornel or Dogwood tr. I to 1½ ft. 60 5 00 45 00 florida. See Trees. stolonifera, Red Osier Cornel S. 5 to 8 in. 1 00 7 50 2 ft. 60 5 50 tr. 3 ft. 75 6 6 stricta, Stiff Dogwood tr. 5 to 6 ft. T 00 8 00 75 00 6 to 12 in. 5 00 tubulosa tr. 3 ft. 1 OO Cotoneaster buxifolia (C. hookeriana), Box-leaved Cotoneaster tr. I ft. 8 00 T 00 frigida, Mountain Cotoneaster . . . tr. ı ft. 1 00 microphylla, Nepaulese Cotoneaster . tr. I ft. 75 6 00 52 50tr. 1½ to 2 ft. 8 00 I 00 multiflora, Chinese Cotoneaster . . . tr. 1½ to 2 ft. T 00 8 00 . (vacillans ..., tr. I 00 Cratægus, See Trees. Cydonia. See Pyrus. Deutzia crenata candidissima 4 to 5 ft. 7.5 5 00 45 00 5 00 flore roseo-plena......tr. $3\frac{1}{2}$ to $4\frac{1}{2}$ ft. 75 45 00

SHRUBS, continued				
	leight	Per 10	100	1,000
	o 10 in.	\$0 50	\$4 50	\$40 00
	1½ ft.	60	5 00	45 00
" scabra tr. I to	1½ ft.	75	5 co	45 00
Diervilla diervilla (D. trifida), Bush Honeysuckle . tr.	ı ft.	50	4 00	
" floribunda tr.	ı ft.	I 00	8 o o	
"grandiflora, Rose tr.	ı ft.	r oo	8 00	
Variegated tr.	ı ft.	1 00	8 o o	
White tr.	ı ft.	1 00	8 00	
japonica	0	1 50		
" rivularis, Gattinger's Bush Honeysuckle . tr.	ı ft.	I 00	8 00	
· · · · · · · · · · · · · · · · · · ·	2 ft.	1 50	12 00	
" sessilifolia, High Bush Honeysuckle tr. 1 to	o 2 ft.		2 50	20 00
"	3 ft.	60	5 00	45 00
Elæagnus longipes, Silver Thorn 8 to	12 in.	50	4 00	35 o o
Erica scoparia, Brown Heather pots	ı ft.	1 00		
" tetralix, Cross-leaved Heath pots	ı ft.	I 00	8 50	
" vagans, Cornish Heath pots	ı ft.	I 00	8 50	
Euonymus alatus, Burning Bush tr. 4 to	6 in.	75	5 00	
" americanus, Strawberry Bush tr. 1½ to	2 ft.	50	4 00	35 00
" bungeanus, Bunge's Spindle-tree tr.	ı ft.	75	5 00	
japonicus, Japanese Euonymus tr.	ı ft.	I 00	8 00	
" microphyllus tr.	6 in.	75	5 00	
" radicans, Climbing Euonymus tr.	6 in.	50	4 00	35 00
variegata tr.	6 in.	50	4 00	
" sieboldianus, Siebold's Spindle-tree tr.	2 ft.	I 00		
Exochorda grandiflora	6 in.		3 co	
Forestiera. See Adelia.	- 64	<i>(</i> -		
Forsythia suspensa, Golden Bell tr. 2½ to	_	60	5 00	45 o o
) 1½ ft.		4 00	35 00
" tr. 1½ to		50	4 50	10 00
,	8 in.	2 50		
	2 ft.	2 50	0 =0	
	0 1 ½ ft.	1 00	8 50	
	6 in.	I 00	8 50	
Cenista tinctoria, Dyer's Whin tr.	ı ft. ı½ ft.	75	6 50	
Grevillea rosmarinifolia, Rosemary Grevillea tr. Hamamelis virginiana, Witch Hazel tr.	1 /2 It. I ft.	1 00	8 5 0	
Hibiscus syriacus, double and single forms, lilac,	1 11.	75	0 00	
red, white, pink, rose, violet, purple tr. 1 to	2 ft.	60	5 00	15 00
Hydrangea arborescens, Wild Hydrangea tr. 1 to		00	0	45 00
"		50	3 50 4 00	32 50
hirta	ı ft.	50 1 00	8 50	37 50
nortensis belzoni, Garden Hydrangea. field-grow		75	6 00	
" cœrulescens field-grow		75 75	6 o o	
fimbriata field-grow		75 75	6 00	
" Imperatrice Eugenie field-grow		75 75	6 00	
japonica alba field-grow		75 75	6 00	
" rubra field-grow		75 75	6 00	
nivea field-grow		75	6 00	
paniculata, Panicled Hydrangea tr.	ı ft.	75	5 00	45 00
grandiflora, Large - flow-		10	0	10
ered Hydrangea tr.	ı ft.	50	4 00	35 o o
" grandiflora tr. 1½ to	2 ft.	60	5 00	45 00
quercifolia, Oak-leaved Hydrangea tr.	ı ft.	2 00	15 n o	
radiata, Downy Hydrangea tr. 1 to	2 ft.		4 00	35 00
	3 ft.	50	4 50	40 00
Hypericum apocynifolium, Small's St. John's-wort tr.	ı ¹á ft.	5 00		

	SHRUBS, continued	i			
		Height	Per 10	100	1,000
Hypericum	ascyron. See Herbaceous Plants, etc.	7 / Ct	#		
	aureum, Large-flowered St. John's-wort tr.	2½ ft.	\$2 00	.4	4
	calycinum, Aaron's Beard pots	6 to 1 0 in.		\$2 00	\$17 50
•	densiflorum, Dense-flowered St. John's-	- 4T/ f4			
	worttr.	2 to 2½ ft.	=0	3 50	30 00
		2½ to 3 ft. 1 ft.	50	1 00	35 00
**	glomeratum, Mountain St. John's-wort. tr.	1 it. 1½ to 2 ft.	70	1 00	35 00 40 00
* *	" tr. lobocarpum, Gattinger's St. John's-	1/2 to 2 it.	50	4 50	40 00
	worttr.	3 ft.	I 00	8 50	80 co
**	moserianum, Hybrid St. John's-wort . tr.	ı ft.	I 00	8 50	00 00
• •	nudiflorum, Naked-flowered St. John's-	1 10.	1 00	0 30	
	wort tr.	2 ft.	75	5 50	50 00
	prolificum, Shrubby St. John's-wort tr.		60	5 00	45 c o
	sphærocarpum. See Herbaceous	2/2 (0 3 10.	00	3 00	43 00
	Plants, etc.				
llex crens	ta, Japanese Hollypots	6 to 8 in.	65	6 00	55 00
" "		6 to 8 in.	75	7 00	65 00
	See Trees.	0 10 0 111.	13	, 00	0,00
-	Ilata, Black Alder tr.	ι to 2 ft.	65	6 00	55 00
	ica, Virginia Willow tr.	1½ to 2 ft.	~3	4 00	35 00
		2½ to 3 ft.	60	5 00	45 00
Jasminum	nudiflorum, Naked-flowered Jasmine . tr.	2 ft.		3 50	30 00
	chinensis, Chinese Juniper tr.	ı to 2 ft.	2 50	3 0 -	0.
1.6	communis, form from China twice tr.	6 to 7 ft.	3 75		
6.6	" hibernica, Irish Juni-	,	0 10		
	per twice tr.	2½ ft.	2 00		
	"tr.	г ft.	1 00	8 50	
• •	nana (J. communis alpina), Pros-				
	trate Juniper twice tr.	ı toı½ ft.	I 00	8 00	75 00
**	recurva densa twice tr.	2 to 3 ft.	2 50		
* *	rigida twice tr.	2½ ft.	2 50		
. (sabina, Savin Juniper twice tr.	ı to ı½ ft.	I 00	8 00	75 00
	" prostrata tr.	1 ft.	I 00	8 00	
v č	sphærica, Globular-fruited Juni-				
4.6	per twice tr.	2 to 2½ ft.	4 00		
	grauca	2 to 2½ ft.	4 00		
	ngustifolia, Sheep Laurel pots	6 to 12 in.	50	4 50	
	tifolia, Calico-bush tr. a sieboldi(<i>L. bicolor</i>), Siebold's Lespedeza.tr.	1½ to 2 ft. 1 ft.	3 00	27 50	20.00
	*			3 50	30 00
Leucotno	e catesbæi, Catesby's Leucothoë pots	6 to 12 in. 1 to 1½ ft.	~~	3 00	25 00
4.4	racemosa, Swamp Leucothoë tr.	1 to 1/2 it. 1 ft.	50	4 50	40 00
	"	1 1t. 1½ to 2 ft.	50 65	4 50	40 0 0 50 0 0
"	"	2½ ft.	65 75	5 50 6 50	60 00
Ligustrum	ibota (L. amurense), Amoor Privet tr.	1½ to 2 ft.	, 73	2 50	20 CO
	japonicum, Japanese Privet tr.	1 to 1½ ft.	50	4 50	40 00
	lucidum, Shining-leaved Privet tr.	I to 2 ft.	50	4 50	40 00
	medium	1 to 1½ ft.	50	4 50	
"	ovalifolium, California Privet tr.	1 to 2 ft.	,,,	2 00	15 00
4 6	sinense, Chinese Privet tr.	2 to 3 ft.		2 00	15 00
Lonicera	bella (L. chrysantha \times tatarica). Hy-	<i>3</i>			~
	brid Honeysuckle tr.	2 to 3 ft.	50	4 50	40 0 0
"	ragrantissima, Bush Honeysuckle tr.	3 ft.	60	5 00	45 00
	orientalis, Oriental Honeysuckle tr.	ı ft.	1 0 0	8 50	
For othe	er species, see Vines,				
Neviusa a	labamensis, Nevin's Fringe-bush tr.	2 ft.	I 00	8 50	

SHRUBS, continued	1			
Opulaster opulifolius (Neillia, or Spiræa opuli-	Height	Per 10	100	1,000
folia), Nine Bark tr.	4 to 5 ft.	\$o 50	\$4 50	\$40 0 0
" " tr.	5 to 6 ft.	φ σ 55	5 50	50 00
Osmanthus fragrans, Sweet-scented Olive tr.	ı ft.	1 00	0 0-	0
Philadelphus grandiflorus, Large-flowered Syringa. tr.	2 to 3 ft.	50	4 50	40 00
" hirsutus, Hairy Syringa tr.	3 ft.	50	4 50	40 00
" inodorus, Scentless Syringa tr.	2 to 3 ft.	50	4 50	40 00
" lewisi, Western Syringa tr.	3 to 4 ft.	1 00	8 50	
Phillyrea angustifolia tr.	2 to 3 ft.	I 00	8 50	
" media	ı ft.	1 00		
Photinia serrulata tr.	ı ft.	I 00	8 50	
Pieris japonica (Andromeda japonica), Japanese				
Andromeda pots	6 to 8 in.	I 00		
" nitida (Andromeda nitida), Fetter-bush . tr.	I to I½ ft.	1 50	10 00	6
Potentilla fruticosa, Shrubby Cinquefoil tr. "tridentata. See Herbaceous Plants, etc.	1½ to 2½ ft.	75	6 50	6 o oo
Prunus laurocerasus, English Laurel tr.	ı ft.	77	6 50	60 00
For other species, see Trees.	1 11.	75	0.30	00 00
Pyrus arbutifolia. See Aronia.				
" japonica (Cydonia japonica), Japanese Quince S.	6 to 12 in		2 50	20 0 0
" pygmæa, Dwarf Japanese Quince . tr.	1 ft.	60	5 00	45 00
" nigra. See Aronia.	1 10.	00	5 00	45 00
For other species, see Trees.				
Rhamnus cathartica tr.	ı to 1½ ft.	60	5 50	
" frangula, Alder Buckthorn tr.	I to 1½ ft.	6 o	5 50	
'' japonica, Japanese Buckthorn tr.	3 to 4 ft.	1 00	8 50	
Rhododendron catawbiense, Mountain Rose Bay . tr.	1½ to 2 ft.	3 00	27 50	
" maximum, Great Laurel tr.	1½ to 2 ft.	3 00	27 50	
" odoratum tr.	ı ft.	2 50		
Rhus aromatica (R. canadensis), Sweet-scented				
Sumac	ı ft.	65	5 50	50 00
copallina, Upland Sumac tr.	2 ft.	75		
glabra, Smooth Sumac	6 to 12 in.		I CO	8 50
inta (K. typitha), Stagnorn Sumae tr.	3 to 4 ft.	I 00		
michauxi, Dwall Sumac	I to 2 ft.	5 00		
Rosa blanda, Meadow Rose tr.	2 ft. 1 ft.	60	5 50	50 00
" bracteata, McCartney Rose tr. " carolina, Swamp Rose tr.	I to 2 ft.	75	7 00 3 00	65 00 25 00
" " tr	3 to 4 ft.	50	4 00	35 00
" humilis, Low or Pasture Rose tr.	1 to 2 ft.	65	5 50	50 00
" lucida alba tr.	т ft.	I 00	0 0	0
" multiflora, Japanese Climbing Rose tr.	1½ to 2ft.	60	5 00	15 00
" repens, European Field Rose tr.	2 to 3 ft.	1 00		
" rugosa	1½ to 2ft.	I 00	8 00	
setigera, Prairie Rosetr.	I to 2 ft.	75	7 00	65 00
· · · · · · · · · · · · · · · · · · ·	2 to 3 ft.	1 00	8 00	75 00
" watsoni	ı½ ft.	I 00	8 50	
wichuraiana, Memorial or Chinese Trailing	- 64			
Rose	I ft.	T 00	3 00	25 CO
Rubus leucodermis, Western Raspberry tr. "parviflorus (R. nutkanus), Salmon-berry . tr.	2 to 3 ft. 1 ft.	I 00	8 -0	
Salix humilis, Prairie Willow tr.	2 ft.	I 00	8 50	
" nigra. See Trees.	2 11.	1 00		
sericea, Silky Willow tr.	5 to 6 ft.	65	5 50	50 00
" tristis, Sage Willow tr.	2 ft.	I 00	J J.	50 00
Sambucus canadensis, Sweet Elder tr.	3 ft.	50	4 50	10 (.0
Sassafras sassafras (S. officinale) tr.	2 ft.	1 00	1 0 -	,
, December 1				

	SHRUBS, continued				
	,	Height	Per 10	100	1,000
-	ı alba	2 to 2½ ft.		\$3 00	\$25 00
. 6	arguta tr.	ı ft.	\$0 50	4 00	37 50
"		½ to 2 ft.	60	5 00	
4.4	cantonensis (S. reevesi), Single or Double. tr.	1 to 1½ ft.	60	5 00	45 o o
. 6	douglasi	2 to 3 ft.		3 00	
**	· · · · · · · · · · · · · · · · · · ·	3 to 4 ft.	50	4 00	
* *		14 to 16 in.	5 0	4 00	35 00
	alba	9 to 12 in.	60	5 00	45 00
"	bumaida	9 to 12 in.	60	5 00	
	macrophylla	ı ft.	60	5 00	45 00
	latifolia tr.	2 to 3 ft.	60	5 00	
	margaritæ	ı ft.	60	5 00	45 00
	menziesi	2 to 3 ft.	I 00	8 50	
	opulifolia. See Opulaster.	- 4 T/ \$4.		6	
	prunifolia fl. pl	1 to 1½ ft. 8 to 10 in.	75	6 00	55 00
	thunbergi	1 to 1½ ft.		3 00	25 00
	* * * * * * * * * * * * * * * * Ll.	½ to 2 ft.	50 60	1 00	35 00
6.6	tomentosa, Hardhack or Steeple-bush tr.	1 to 1½ ft.	00	5 00	45 00
**	"tr.	2 to 3 ft.	~~	3 75	3 0 00
Stanh	/lea trifolia, Bladder-nut	0	50	4 00	35 00
Staph	" " " " " " " " " " " " " " " " " " "	2 to 3 ft. 3 to 4 ft.	75 1 00	7 00 8 50	
Stanh	anandra flexuosa tr.	2½ ft.	I 00	8 00	75 00
-	americana, Styrax tr.	2 ft.	I 25	0 00	75 00
(1)	Japonica	ı to 1½ ft.	I 00	8 50	
Symph	oricarpos mollis tr.	ı ft.	1 00	8 00	
· ,	occidentalis, Wolfberry tr.	ı ft.		1 00	35 00
	"tr.	2 ft.	I 0 0	8 00	30
	racemosus, Snowberry tr.	ı ft.		1 00	35 00
	" symphoricarpos (S. vulgaris),				00
	Coral-berry tr.	2 to 3 ft.		3 00	25 00
Syring	ajosikæatr. I	½ to 2 ft.	I 00	7 50	
Vacci	nium erythrocarpum tr.	6 to 8 in.	60	5 00	45 00
	stamineum, Deerberry or Buckberry . tr.	6 to 8 in.	60	5 00	45 00
	virgatum, Southern Black Huckleberry . tr.	ı toı½ ft.	.75	7 00	65 00
	num dentatum, Arrow-wood tr.	ı toı½ ft.	85	7 50	70 00
4.4	" tr.	2 ft.	I 00	8 50	8o oo
Vitex	negundo, Chaste Tree tr.	2 to 3 ft.	I 00	8 50	
Xanth	orrhiza apiifolia, Yellow-root 1 yr. tr.		50	3 00	25 00
	" 2 yrs. tr.		75	7 oo	65 00
	oxylum americanum, Prickly Ash tr.	I to 2 ft.	I 00		
Xolisr	(/,				
	ivet Andromeda tr.	ı ft.	50	4 00	35 00
Zelko	va keakitr.	2 ft.	2 50		

VINES

	Height	Per 10	100	1,000
Actinidia callosa	2 ft.	\$1 00		-,
Akebia quinata, Five-leaved Akebia 2 yrs., tr.	2 ft.	50	\$3 50	\$30 00
Ampelopsis heterophylla, Asiatic Creeper . 3 yrs., tr.		I 25	10 00	#0
dissecta 3 yrs., tr.		I 25	10 00	
" quinquefolia. See Parthenocissus.		5		
Bignonia crucigera (B. capreolata), Cross-				
vine · · · · · · · · · · · · · · · · · · ·		75	5 50	50 00
" radicans. See Tecoma.		7.0	0 0	0
Brunnichia cirrhosa, Brunnichia 2 yrs., tr.		I 00	8 50	
Celastrus paniculatus	I to 2 ft.	75	6 50	60 00
" scandens, Shrubby or Climbing Bitter-		, 0	Ü	
sweet	I ft.	75	6 50	
Clematis apiifolia, Parsley-leaved Clematis . 1 yr., tr.		I 00	8 50	
" montana, Mountain Clematis 1 yr., tr.		I 00	8 50	
" paniculata	2 ft.	75	5 00	
Decumaria barbara, Decumaria tr.	6 to 8 in.	I 00	8 50	
Gelsemium sempervirens, Yellow Jessamine . tr.	2 to 3 ft.	75	6 00	
Hedera helix, English Ivy r yr., pots		50	4 00	35 00
" 2 yrs., pots		75	5 00	45 00
Kadsura japonica yr., tr.	ı ft.	75	5 00	45 co
Kraunhia chinensis (Wistaria chinensis),				
Chinese Wistaria 2 yrs., tr.		85	7 50	70 c o
" frutescens (W. frutescens),				
American Wistaria 2 yrs., tr.		85	7 50	
Lonicera japonica, Japanese Honeysuckle . 1 yr., tr.			2 50	20 0 0
" chinensis, Purple				
Honeysuckle 1 yr., tr.		50	3 00	25 00
'' variegata 1 yr.; tr.		50	3 00	25 00
" sempervirens, Trumpet or Coral				
Honeysuckle 2 yrs., tr.		50	1 00	35 00
" sullivanti, Sullivant's Honey-				
suckle 2 yrs., tr.		I 0 0	8 50	
For other species, see Shrubs.				
Parthenocissus quinquefolia (Ampelopsis				
quinquefolia), Virginia Creeper 2 yrs., tr.		50	4 00	35 00
Periploca græca, Silk Vine r yr., tr.		75	5 00	45 00
2 yrs., tr.		1 00	7 50	
Smilax bona-nox, Bristly Greenbrier tr.	I to 2 ft.	1 25	10 00	
" hispida, Hispid Greenbrier tr.	2 to 3 ft.	I 25	10 00	
rotundifolia, Cathrier tr.	2 to 3 ft.	1 25	10 00	
Tecoma radicans (Bignonia radicans), Trumpet				
Flower	3 to 5 ft.	I 00		
Vitis cordifolia, Frost Grape	2 ft.	75	5 00	
labrusca, rox Grape		75	6 50	50 00
3 yrs., tr.		I 00	8 50	
Wistaria. See Kraunhia.				

Herbaceous Plants, Grasses and Bamboos.

	Per 10	100	000,1
Achillea millefolium, Yarrow field-grown		\$2 50	\$20 00
Adiantum pedatum, Maidenhair Fern field-grown	\$0 50	3 50	30 00
Artemisia abrotanum, Southernwood field-grown	I CO		
Arundo donax, Great Reed	I 00	7 50	70 00
"	2 00	15 00	100 00
Arundinaria japonica (Bambusa metake), Japanese			
Cane strong clumps	3 50	30 00	200 00
" macrosperma, Large American Cane strong clumps	2 75	20 CO	150 00
" tecta, Small American Cane strong clumps	2 75	20 00	150 00
Aster novæ-angliæ, New England Aster field-grown	1 03		
Bamboos. See Arundinaria and Phyllostachys.			
Bellis perennis, European or Garden Daisy 1 yr., 2½-in. pots	50	3 50	30 00
Bocconia cordata, Japanese Bocconia field-grown	75	5 00	
Carex japonica field-grown	I 00	7 50	
Castalia tuberosa (Nymphæa tuberosa), White Water			
Lily strong tubers	2 50	22 50	
Chelone Iyoni, Lyon's Turtle-head field-grown	75	6 50	
Convallaria majalis, Lily-of-the-Valley field-grown	50	3 00	27 50
Delphinium, hybrids, Larkspur pots	I 00	7 50	
Dryopteris acrostichoides, Christmas Fern nursery-grown	75	5 00	45 00
" marginalis, Evergreen Wood-fern nursery-grown	75	5 00	
Elymus glaucus, Smooth Wild Rye field-grown	1 00	7 50	
Erythronium americanum, Yellow Adder's Tongue . nursery-grown		4 00	
Eulalia. See Miscanthus.			
Galium verum, Yellow Bedstraw field-grown	I 00	7 50	
Gemmingia chinensis (Belamcanda chinensis), Black-			
berry Lily field-grown	50	3 00	
Helianthus atrorubens, Purple-disk Sunflower nursery-grown	I 00	7 50	50 00
" dowellianus, Dowell's Sunflower nursery-grown	00 1	7 50	50 00
Hemerocallis dumortieri, Dwarf Day Lily field-grown	75	5 00	
" fulva, Day Lily field-grown	50	3 00	
Hypericum ascyron, Giant St. John's-wort field-grown	75	5 00	
" sphærocarpum, Round-podded St. John's-			
wort field-grown	I 00	7 50	
For other species, see Shrubs.			
Iberis sempervirens, Hardy Candytuft	I 00	8 50	
Iris cristata, Crested Dwarf Iris strong field-grown		3 00	25 00
" germanica, Fleur-de-lis strong field-grown		3 50	30 00
" lævigata (L. kæmpferi), Japanese Iris field-grown		3 00	25 00
" strong plants	50	4 00	35 00
" missouriensis, Western Blue Flag field-grown	I 00	7 50	
" pumila, European Dwarf Iris field-grown		3 00	25 00
" siberica, Siberian Iris field-grown		3 00	25 00
" verna, American Dwarf Iris strong field-grown		3 00	25 00
" versicolor, Large Blue Flag strong field-grown	1 00		
Lilium tigrinum, Tiger Lily strong field-grown	I 00		
Liriope graminifolia (Ophiopogon spicatus),			
Purple-flowered Snake-beard strong field-grown	I 00	8 50	

HERBACEOUS PLANTS, GRASSES, ETC., continued

,	Per 10	100	1,000
Lysimachia nummularia, Moneywort 4-inch clumps		\$10 00	,
Marshallia grandiflora field-grown	\$2 50	п	
Menispermum canadense, Canada Moonseed tr.	I 00	8 5 0	
Miscanthus japonicus (Eulalia japonica) clumps	75	5 00	
" variegatus (Eulalia japonica varie-	, 0	Ü	
gata) clumps	75	5 00	
" sinensis (Eulalia gracillima univittata) clumps	75	5 00	
Nelumbo nelumbo (Nelumbium speciosum), Indian			
Lotus strong tubers	5 00		
Pachysandra procumbens, Alleghany Mountain Spurge . field-grown	75	5 50	\$50 00
"terminalis, Japanese Spurge field-grown	75	5 50	50 00
Pæonia, herbaceous, mixed varieties 5-yrs., field-grown	1 50	12 00	
" herbaceous, named sorts field-grown	2 00	17 50	
Phlox ovata, Mountain Phlox field-grown	I 00	7 50	
" reptans, Crawling Phlox field-grown	50	4 50	40 00
Phyllostachys aurea, Yellow Bamboo clumps, each, \$1 00			
" kumassasa (Bambusa viminalis),			
Ruscus-leaved Bamboo clumps, each, 65			
" mitis, Tall Bamboo clumps, each, I oo			
Porteranthus trifoliatus (Gillenia trifoliata), Indian			
Physic or Bowman's Root field-grown	50	4 50	
Potentilla fruticosa. See Shrubs.			
" tridentata, Three-toothed Cinquefoil strong field-grown		5 00	
Sedum spectabile, Large-flowered Orpine strong field-grown	75	5 00	45 00
"telephioides, American Orpine strong field-grown	1 25		
Tanacetum vulgare crispum strong field-grown	50	4 50	40 00
Thymus vulgaris, Thyme field-grown	I 00	8 50	
Tradescantia montana, Spiderwort strong field-grown	50	4 50	40 00
Vernonia noveboracensis, New York Ironweed field-grown	75		
Vinca minor, Periwinkle field-grown, light			7 50
Yucca baccata, Spanish Bayonet field-grown	1 00	8 50	
" filamentosa, Adam's Needle very heavy, 2 yrs., tr.	75	4 00	35 00
" strong, 2 yrs., tr.	50	3 00	27 50
"		2 50	17 50

